

The logo for TSC (Thermal Solutions Company) is displayed in a large, bold, blue font. Below the letters, a red horizontal bar contains the tagline "Connecting Your Thermal Printing Needs." in white text. The background of the logo area is a blurred, colorful abstract image with shades of blue, purple, and pink.

TSC[™]

Connecting Your Thermal Printing Needs.[™]

Nicelabel 驱动安装与删除教程

天津国聚科有限公司

2013/9



1.插入光盘，出现此界面，选择第二项。显示驱动安装的两种安装方式，请对应后选择安装。

TSC
The Smarter Choice.

**SUPERIOR PRODUCTS
START WITH SUPERIOR
ENGINEERING**

Thank you very much for purchasing TSC product!

NiceLabel Software Setup
Windows Driver Setup
Acrobat Reader Setup
Quick Start Guides
User's Manuals
Programming Manuals
Printer Installation Video

- If you are using USB interface, please connect the USB cable between PC and printer then turn on printer power. PC will detect the new hardware. Follow the to install the printer driver. The printer driver is included in the CD disk Driver directory.
- If you are using other interfaces to connect with printer, please install the driver by to install the printer driver. The printer driver is

to load and operate, and offer more features than market – for less money. You can pick and choose features and options, including speeds ranging from 2 in/min, generous memory expansion up to 32 MB, and a choice of 203 dpi, 300 dpi and 600 dpi. Also, you can tackle any bar coding job – everything from simple compliance, and work-in-process labeling to ordering & receiving labeling.

For more information go to <http://www.tscprinters.com>


TSC America, Inc. All rights reserved.



方法一：


1. USB端口打印机驱动安装步骤：

1) 如果使用USB端口传输, 将打印机用USB线与电脑连接后, 开启打印机。电脑右下方弹出  提示。电脑弹出“发现新硬件向导”，勾选第二项，进入下一步。





2) 选择“不要搜索……”，进入下一步。





3) 选择“从磁盘安装”，弹出查找文件界面。





- 4) 单击“浏览”，进入驱动光盘中的**Driver**文件，单击“确定”。
- 注：若是从网站下载驱动文件安装，单击“浏览”，进入下载文件中的NL Driver文件，单击“确定”。*






5) 显示需要安装的打印机型号，进入下一步。





6) 开始复制驱动文件






7) 打印机驱动安装完成，点击“完成”。






8) 打印机安装完成后，进入电脑控制面板---打印机和传真，查看驱动是否安装成功。







2.其它端口打印机驱动安装步骤

- 1) 进入电脑控制面板—打印机和传真—添加打印机，系统弹出“欢迎使用添加打印机向导”界面，进入下一步。






2) 选择“连接到此计算机上的本地打印机”，进入下一步。





3) 选择打印机连接端口（LPT1指并口，COM指串口），进入下一步。





4) 单击“从磁盘安装 (H) ...”，进入文件路径查找界面。






5) 单击“浏览”，进入驱动光盘中的Driver文件，选定驱动程序文件，单击确定。





6) 选择安装的打印机型号，进入下一步。





7) 选择是否设为默认打印机，进入下一步。

添加打印机向导

命名打印机
您必须给这台打印机指派一个名称。



为这台打印机键入一个名称。由于某些程序不支持超过 31 个英文字符 (15 个中文字符) 的服务器和打印机名称组合，最好取个短一点的名字。

打印机名 (P):


是否希望将这台打印机设置为默认打印机?

是 (Y)
 否 (N)

< 上一步 (B) 下一步 (N) > 取消




8) 选择是否打印测试页，进入下一步。






9) 单击“完成”，进行打印机驱动文件安装。






10) 驱动程序文件复制界面






11) 打印机安装完成后，进入电脑控制面板---打印机和传真,查看驱动是否安装成功。





方法二：

1. 打开我的电脑--找到该光盘 **TSC** TSC NiceLabel (E:) (右键) ---打开，出现如下图窗口：





2. 找到Driver文件夹



Driver

----打开

找到PrnInst图标



PrnInst
Printer Installa...
Euro Plus d.o.o.

双击---安装。




若从网站下载驱动文件采用“方法二”安装:

- 1) 將下載後的文件  解壓縮
2013918824...
- 2) 双击解壓縮后的文件夹  ---打开
201391882...
- 3) 打开NL Driver文件夹  NL Driver，找到PrnInst图标
 (双击)。



3.如下图，进入下一步。





4. 选定打印机型号，进入下一步。注：选择的打印机型号与您安装的打印机型号应一致。TDP代表机器不使用碳带为热敏机型；TTP代表机器需要安装碳带,为热转机型。

选择打印机

选择打印机
请选择您要安装的制造商和打印机。

请选择您的打印机制造商及型号。若驱动程序在其他文件夹中，或者打印机附带有驱动程序磁盘，请按<更改位置>按钮。若您的打印机不在列表中，请查阅打印机文档以了解有关兼容打印机。

制造商 (M):

TSC

打印机 (P):

TSC	TTP-243E Plus
TSC	TTP-243E Pro
TSC	TTP-243M
TSC	TTP-244
TSC	TTP-244 Plus
TSC	TTP-244CE
TSC	TTP-244E
TSC	TTP-244M Plus
TSC	TTP-244M Pro
TSC	TTP-244ME
TSC	TTP-244ME Plus

更改位置 (C)...

退出 (E) 帮助 (H) <上一步 (P) 下一步 (N) >



5. 选择打印机的连接端口，点击完成。（USB端口）




注：如果使用USB端口传输，请先将打印机用USB线与电脑连接后，开启打印机。电脑右下方弹出  提示。电脑弹出“发现新硬件向导”，点击取消。

USB连接端口图




选择打印机的连接端口，点击完成。（其它端口）






6. 正在安装驱动






7. 打印机安装完成后，进入“控制面板”中的“打印机和传真”查看检查是否安装成功。





删除打印机驱动方法:

进入电脑控制面板---打印机和传真，找到待删除的打印机驱动，点击-鼠标（右键）---删除，即可。





END